

NATIONAL LEPROSY ELIMINATION PROGRAMME
DISTRICT-WISE PROPORTION OF DEFORMITY GRADE - II
FOR THE YEAR 2009-10

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ANDHRA PRADESH				
1	Adilabad	402	10	2.49
2	Ananthapur	492	28	5.69
3	Chittor	457	29	6.35
4	Cuddapah	311	22	7.07
5	E.Godavari	507	13	2.56
6	Guntur	697	46	6.60
7	Hyderabad	230	14	6.09
8	Karimnagar	319	6	1.88
9	Khammam	377	18	4.77
10	Krishna	407	30	7.37
11	Kurnool	577	37	6.41
12	Mahboob Ngr	370	29	7.84
13	Medak	279	19	6.81
14	Nalgaonda	365	12	3.29
15	Nellore	325	10	3.08
16	Nizamabad	208	7	3.37
17	Prakasam	313	15	4.79
18	Rangareddy	343	9	2.62
19	Srikakulam	410	7	1.71
20	Vizianagaram	335	15	4.48
21	Visakhapatnam	368	27	7.34
22	W. Godavari	464	31	6.68
23	Warrangal	456	5	1.10
TOTAL=23		9012	439	4.87

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ARUNACHAL PRADESH				
24	Chang Lang	0	0	#DIV/0!
25	Lower Dibang Valley	0	0	#DIV/0!
26	East Kameng	0	0	#DIV/0!
27	East Siang	5	1	20.00
28	Lower Subansari	1	0	0.00
29	Lohit	1	0	0.00
30	Papumpare	16	0	0.00
31	Tirap	0	0	#DIV/0!
32	Tawang	0	0	#DIV/0!
33	Upper Siang	0	0	#DIV/0!
34	Upper Subansari	0	0	0.00
35	West Kameng	0	0	0.00
36	West Siang	1	0	0.00
37	Upper Dibang Valley	0	0	0.00
38	Kurung Kumey	0	0	0.00
39	Anjaw	0	0	0.00
TOTAL=16		24	1	4.17

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ASSAM				
40	Baksa	4	0	0.00
41	Barpeta	11	1	9.09
42	Bongaigaon	15	1	6.67
43	Cachar	84	16	19.05
44	Chirang	3	1	33.33
45	Darrang	13	0	0.00
46	Dhemaji	16	1	6.25
47	Dhubri	53	1	1.89
48	Dibrugarh	159	3	1.89
49	Golaghat	32	2	6.25
50	Goalpara	8	0	0.00
51	Hailakandi	3	0	0.00
52	Jorhat	60	3	5.00
53	K. Anglong	45	5	11.11
54	Kamrup®	12	4	33.33
55	Kamrup(M)	173	19	10.98
56	Karimganj	10	2	20.00
57	Kokrajhar	12	1	8.33
58	Lakhimpur	35	5	14.29
59	Morigaon	13	0	0.00
60	Nalbari	11	0	0.00
61	Nc Hills	9	1	11.11
62	Nagaon	48	1	2.08
63	Sivsagar	127	0	0.00
64	Sonitpur	74	10	13.51
65	Tinsukia	126	17	13.49
66	Udalguri	20	0	0.00
	TOTAL=27	1176	94	7.99

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
BIHAR				
67	Araria	787	13	1.65
68	Arwal	221	8	3.62
69	Aurangabad	567	8	1.41
70	Banka	549	4	0.73
71	Begusarai	422	11	2.61
72	Bhagalpur	591	13	2.20
73	Bhojpur	424	8	1.89
74	Buxar	372	5	1.34
75	Darbhanga	742	2	0.27
76	E.Champaran	750	13	1.73
77	Gaya	1217	19	1.56
78	Gopalganj	478	2	0.42
79	Jehanabad	417	11	2.64
80	Jamui	279	0	0.00
81	Khagaria	172	0	0.00
82	Kaimur	502	8	1.59
83	Katihar	377	5	1.33
84	Kishanganj	615	0	0.00
85	Lakhisarai	310	0	0.00
86	Madhepura	368	6	1.63
87	Madhubani	1136	30	2.64
88	Muzaffarpur	649	28	4.31
89	Munger	248	5	2.02
90	Nalanda	742	15	2.02
91	Nawada	617	14	2.27
92	Patna	1158	13	1.12
93	Purnia	696	10	1.44
94	Rohtas	953	8	0.84
95	Saharsa	326	6	1.84
96	Samastipur	552	62	11.23
97	Saran	933	23	2.47
98	Sheikhpura	124	0	0.00
99	Sheohar	96	0	0.00
100	Sitamarhi	593	11	1.85
101	Supaul	522	4	0.77
102	Siwan	710	22	3.10
103	Vaishali	593	20	3.37
104	W.Champaran	623	14	2.25
	TOTAL=38	21431	421	1.96

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
CHHATTISGARH				
105	Bastar	302	23	7.62
106	Bilaspur	776	18	2.32
107	Dantewara	31	7	22.58
108	Dhamtari	277	9	3.25
109	Durg	888	35	3.94
110	Janjgir	703	45	6.40
111	Jashpur	135	6	4.44
112	Kanker	55	2	3.64
113	Kawardha	202	25	12.38
114	Koriya	56	5	8.93
115	Korba	361	11	3.05
116	Mahasamund	777	25	3.22
117	Raigarh	921	56	6.08
118	Raipur	1673	81	4.84
119	Rajnandgaon	301	48	15.95
120	Surguja	183	16	8.74
	TOTAL = 16	7641	412	5.39

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
GOA				
121	North Goa	41	1	2.44
122	South Goa	45	0	0.00
	TOTAL =2	86	1	1.16

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
GUJARAT				
123	Ahmedabad	150	6	4.00
124	Amreli	36	0	0.00
125	Anand	102	9	8.82
126	Banaskantha	42	3	7.14
127	Bhavnagar	71	0	0.00
128	Bharuch	719	5	0.70
129	Dangs	122	3	2.46
130	Dahod	678	12	1.77
131	Gandhi Ngr	58	0	0.00
132	Jamnagar	56	1	1.79
133	Junagarh	79	2	2.53
134	Kheda	183	7	3.83
135	Kachhch - Bhuj	33	2	6.06
136	Mehsana	21	7	33.33
137	Narmada	237	7	2.95
138	Navsari	675	16	2.37
139	Panchmahal	783	8	1.02
140	Patan	14	1	7.14
141	Porbandar	11	0	0.00
142	Rajkot	116	6	5.17
143	Surendra Nagar	39	0	0.00
144	Sabarkantha	36	1	2.78
145	Surat	1439	32	2.22
146	Vadodara	861	36	4.18
147	Valsad	812	21	2.59
	TOTAL=25	7373	185	2.51

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
HARYANA				
148	Ambala	25	0	0.00
149	Bhiwani	5	0	0.00
150	Faridabad	88	0	0.00
151	Fatehabad	13	0	0.00
152	Gurgaon	8	0	0.00
153	Hissar	17	0	0.00
154	Jind	6	0	0.00
155	Karnal	34	0	0.00
156	Kaithal	5	0	0.00
157	Kurukshetra	34	3	8.82
158	Narnaul	1	0	0.00
159	Panipat	40	0	0.00
160	Rohtak	3	0	0.00
161	Jhajjar	14	0	0.00
162	Sirsa	5	1	7.14
163	Sonipat	19	0	0.00
164	Yamunangr	19	0	0.00
165	Panchkula	20	0	0.00
166	Rewari	4	0	0.00
167	Mewat	5	0	0.00
	TOTAL=19	365	4	1.10

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
HIMACHAL PRADESH				
168	Bilaspur	10	2	20.00
169	Chamba	9	1	11.11
170	Hamirpur	5	0	0.00
171	Kangra	20	0	0.00
172	Kinnaur	1	0	0.00
173	Kullu	10	0	0.00
174	L& Spiti	0	0	0.00
175	Mandi	14	2	14.29
176	Shimla	31	5	16.13
177	Sirmour	11	2	18.18
178	Solan	39	2	5.13
179	Una	14	4	28.57
	TOTAL=12	164	18	10.98

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
JAMMU & KASHMIR				
JAMMU DIVISION				
180	Doda	0	0	0.00
181	Jammu	60	2	3.33
182	Kathua	23	0	0.00
183	Poonch	15	2	13.33
184	Rajouri	21	1	4.76
185	Udhampur	13	0	0.00
186	Samba	3	0	0.00
187	Reasi	0	0	0.00
188	Ramban	3	0	0.00
189	Kishtwar	9	0	0.00
KASHMIR DIVISION				
190	Anantanag	3	2	66.67
191	Budgam	0	0	0.00
192	Baramula	0	0	0.00
193	Kargil	1	1	100.00
194	Kupwara	2	0	0.00
195	Leh	0	0	0.00
196	Pulwama	3	0	0.00
197	Srinagar	0	0	0.00
198	Shopian	1	0	0.00
199	Kulgam	1	0	0.00
200	Ganderbal	0	0	0.00
201	Bandipore	1	1	100.00
	TOTAL=22	159	9	5.66

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
	JHARKHAND			
202	Bokaro	209	6	2.87
203	Chatra	134	3	2.24
204	Deogarh	234	4	1.71
205	Dhanbad	144	3	2.08
206	Garhwa	310	12	3.87
207	Giridih	233	11	4.72
208	Godda	324	10	3.09
209	Gumla	174	10	5.75
210	Hazaribagh	251	8	3.19
211	Jamtara	168	1	0.60
212	Koderma	81	9	11.11
213	Latehar	167	12	7.19
214	Lohardagga	99	4	4.04
215	Pakur	122	7	5.74
216	Palamu	288	3	1.04
217	Ranchi	524	4	0.76
218	Saraikela	395	17	4.30
219	Sahebganj	153	9	5.88
220	Santal Pargana(Dumka)	223	0	0.00
221	Simdega	67	3	4.48
222	East Singhbhum	509	20	3.93
223	West Singhbhum (Chaibasa)	377	23	6.10
224	Ramgarh	84	2	2.38
225	Khunti	75	2	2.67
	TOTAL = 24	5345	183	3.42

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
KARNATAKA				
226	Bagalkote	111	3	2.70
227	Belgaum	289	13	4.50
228	Bellary	404	14	3.47
229	Bidar	198	11	5.56
230	Bijapur	143	3	2.10
231	Bangalore (R)	32	0	0.00
232	Bangalore (U)	405	31	7.65
233	Chamrajnagar	183	6	3.28
234	Chikmagalur	30	1	3.33
235	Chitradurga	96	2	2.08
236	Devangere	262	5	1.91
237	D.Kannada	58	1	1.72
238	Dharwad	289	12	4.15
239	Gadag	116	0	0.00
240	Gulbarga	359	19	5.29
241	Haveri	166	1	0.60
242	Hassan	34	3	8.82
243	Kodagu	5	1	20.00
244	Koppal	128	1	0.78
245	Kolar	37	0	0.00
246	Mandya	71	2	2.82
247	Mysore	146	3	2.05
248	Raichur	226	5	2.21
249	Shimoga	75	1	1.33
250	Tumkur	106	2	1.89
251	Udupi	95	2	2.11
252	Uttar Kannada	178	0	0.00
253	Chickkbalapur	111	1	0.90
254	Ramanagar	55	1	1.82
TOTAL=29		4408	144	3.27

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
KERALA				
255	Allappuzha	63	4	6.35
256	Kannur	66	5	7.58
257	Ernakulam	87	2	2.30
258	Iddukki	11	1	9.09
259	Kasargoda	30	1	3.33
260	Kottayam	17	0	0.00
261	Kollam	23	0	0.00
262	Kozikode	83	4	4.82
263	Mallapuram	112	0	0.00
264	Palakkad	168	7	4.17
265	Pathanamthita	18	0	0.00
266	Thrissur	98	3	3.06
267	Trivandrum	104	8	7.69
268	Wayanad	4	1	25.00
TOTAL=14		884	36	4.07

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MADHYA PRADESH				
269	Alirajpur	0	0	0
270	Anooppur	103	1	0.97
271	Ashoknagar	29	0	0.00
272	Balaghat	126	3	2.38
273	Barwani	314	17	5.41
274	Betul	129	4	3.10
275	Bhind	120	6	5.00
276	Bhopal	277	29	10.47
277	Burhanpur	185	11	5.95
278	Chattarpur	163	0	0.00
279	Chhindwara	190	13	6.84
280	Damoh	109	1	0.92
281	Datia	82	3	3.66
282	Dewas	78	3	3.85
283	Dhar	173	12	6.94
284	Dhindori	20	1	5.00
285	Guna	67	4	5.97
286	Gwalior	163	7	4.29
287	Harda	101	5	4.95
288	Hoshangabad	126	10	7.94
289	Indore	249	1	0.40
290	Jabalpur	208	3	1.44
291	Jhabua	248	10	4.03
292	Katni	89	8	8.99
293	Khandwa	163	4	2.45
294	Khargone	346	22	6.36
295	Mandsaur	57	0	0.00
296	Mandla	85	8	9.41
297	Morena	112	4	3.57
298	Narsinghpur	102	4	3.92
299	Neemuch	49	5	10.20
300	Panna	110	20	18.18
301	Raisen	57	1	1.75
302	Rajgarh	76	1	1.32
303	Ratlam	50	9	18.00
304	Rewa	97	15	15.46
305	Sagar	93	8	8.60
306	Satna	63	1	1.59
307	Sehore	63	0	0.00
308	Seoni	51	0	0.00
309	Shahdol	74	5	6.76
310	Shajapur	52	0	0.00
311	Sheopurkala	30	1	3.33
312	Shivpuri	63	1	1.59
313	Sidhi	152	4	2.63
314	Singhrauli	0	0	0.00
315	Tikamgarh	107	0	0.00
316	Umaria	29	3	10.34
317	Ujjain	79	2	2.53
318	Vidisha	83	3	3.61
TOTAL= 50		5592	273	4.88

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MAHARASHTRA				
319	Akola	230	0	0.00
320	Ahmednagar	206	1	0.49
321	Amravati	386	2	0.52
322	Aurangabad	227	2	0.88
323	Beed	218	1	0.46
324	Bhandara	423	5	1.18
325	Mumbai	1068	96	8.99
326	Buldana	202	5	2.48
327	Chandrapur	1141	7	0.61
328	Dhule	572	3	0.52
329	Gadchiroli	726	8	1.10
330	Gondiya	377	4	1.06
331	Hingoli	131	2	1.53
332	Jalgaon	672	0	0.00
333	Jalna	123	3	2.44
334	Kolhapur	253	2	0.79
335	Latur	225	2	0.89
336	Nagpur	595	1	0.17
337	Nanded	410	3	0.73
338	Nasik	991	7	0.71
339	Osmanabad	136	0	0.00
340	Parbhani	221	1	0.45
341	Pune	543	28	5.16
342	Raigad	690	10	1.45
343	Ratnagiri	99	0	0.00
344	Sangli	148	0	0.00
345	Satara	225	4	1.78
346	Solapur	383	1	0.26
347	Sindu durg	68	0	0.00
348	Thane	2193	46	2.10
349	Wardha	324	1	0.31
350	Yavatmal	384	5	1.30
351	Nandurbar	294	0	0.00
352	Washim	187	0	0.00
TOTAL=34		15071	250	1.66

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MANIPUR				
353	Bishnupur	1	1	100.00
354	Chura Chandpur	3	0	0.00
355	Chandel	4	1	25.00
356	Imphal East	11	1	9.09
357	Imphal West	4	0	0.00
358	Senapati	2	0	0.00
359	Thoubal	3	0	0.00
360	Tamenlong	3	0	0.00
361	Ukhrul	0	0	0.00
Total = 9		31	3	9.68

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MEGHALAYA				
362	East Garo Hills	1	0	0.00
363	East Khasi Hills	6	0	0.00
364	Jaintia Hills	1	0	0.00
365	South Garo Hill	3	0	0.00
366	Ribhoi	3	1	33.33
367	West Garo Hills	3	0	0.00
368	West Khasi Hills	3	3	100.00
	TOTAL=7	20	4	20.00

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MIZORAM				
369	Aizwal East	1	0	0.00
370	Aizwal West	1	0	0.00
371	saiha	0	0	0.00
372	Lunglei	1	0	0.00
373	Champhai	0	0	0.00
374	Kolasib	0	0	0.00
375	Mamit	2	1	50.00
376	Serchhip	0	0	0.00
377	Lawngtlai	4	0	0.00
	TOTAL=9	9	1	0.00

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
NAGALAND				
378	Dimapur	44	10	22.73
379	Kohima	1	0	0.00
380	Mokokchung	0	0	0.00
381	Mon	21	3	14.29
382	Phek	0	0	0.00
383	Tuensang	5	0	0.00
384	Wokha	5	1	20.00
385	Zunheboto	0	0	0.00
386	Kipheri	0	0	0.00
387	Peren	0	0	0.00
388	Longleng	3	0	0.00
	TOTAL= 11	79	14	17.72

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ORISSA				
389	Angul	443	31	7.00
390	Bolangir	447	5	1.12
391	Balasore	256	10	3.91
392	Baragarh	478	13	2.72
393	Bhadrak	126	4	3.17
394	Boudh	135	3	2.22
395	Cuttack	201	15	7.46
396	Deogarh	78	5	6.41
397	Dhenkanal	301	1	0.33
398	Gajapati	40	0	0.00
399	Ganjam	279	4	1.43
400	Jagatsinghpur	75	0	0.00
401	Jajpur	286	3	1.05
402	Jharsuguda	157	1	0.64
403	Kalahandi	280	10	3.57
404	Kendrapara	71	1	1.41
405	Keonjhar	243	6	2.47
406	Khurda	199	5	2.51
407	Koraput	219	30	13.70
408	Malkangiri	47	9	19.15
409	Mayurbhanj	478	21	4.39
410	Nayagarh	144	6	4.17
411	Nowrangpur	195	14	7.18
412	Nuapada	120	3	2.50
413	Phulbani	42	5	11.90
414	Puri	172	12	6.98
415	Rayagada	47	5	10.64
416	Sambalpur	175	8	4.57
417	Sonepur	289	2	0.69
418	Sundergarh	458	11	2.40
TOTAL=30		6481	243	3.75

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
PUNJAB				
419	Amritsar	100	2	2.00
420	Bathinda	26	0	0.00
421	Faridkot	13	0	0.00
422	Fatehpur Sahib	39	6	15.38
423	Ferozpur	11	1	9.09
424	Gurdaspur	23	2	8.70
425	Jalandhar	78	6	7.69
426	Hoshiarpur	57	5	8.77
427	Kapurthala	40	4	10.00
428	Ludhiana	196	7	3.57
429	Mansa	12	2	16.67
430	Moga	24	0	0.00
431	Muktasar	11	0	0.00
432	Nawashahar	15	0	0.00
433	Patiala	42	0	0.00
434	Roopnagar	36	4	11.11
435	Sangrur	32	0	0.00
436	SAS Nagar (Mohali)	48	0	0.00
437	Tarn Taran	17	3	17.65
438	Barnala	4	0	0.00
TOTAL=20		824	42	5.10

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
RAJASTHAN				
439	Ajmer	33	0	0.00
440	Alwar	75	7	9.33
441	Banswara	13	0	0.00
442	Barmer	5	0	0.00
443	Baran	58	0	0.00
444	Bharatpur	24	1	4.17
445	Bhilwara	43	0	0.00
446	Bikaner	24	0	0.00
447	Bundi	17	1	5.88
448	Chittorgarh	41	0	0.00
449	Churu	25	0	0.00
450	Dausa	34	0	0.00
451	Dholpur	20	1	5.00
452	Dungarpur	19	0	0.00
453	Ganganagar	20	0	0.00
454	Hanumangarh	9	0	0.00
455	Jaipur	267	10	3.75
456	Jaisalmer	0	0	0.00
457	Jalore	6	0	0.00
458	Jhalawar	83	11	13.25
459	Jhunjhunu	19	0	0.00
460	Jodhpur	83	0	0.00
461	Karauli	11	0	0.00
462	Kota	52	0	0.00
463	Nagaur	24	0	0.00
464	Pali	18	4	22.22
465	Rajasamand	4	0	0.00
466	Sawai Madhopur	14	0	0.00
467	Sikar	27	0	0.00
468	Sirohi	10	0	0.00
469	Tonk	20	0	0.00
470	Udaipur	78	1	1.28
471	Pratapgarh	24	0	0.00
TOTAL=33		1200	36	3.00

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
SIKKIM				
472	East District	16	0	0.00
473	North Dist.	2	1	50.00
474	South Dist.	1	0	0.00
475	West Dist.	1	1	100.00
TOTAL=4		20	2	10.00

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
TAMILNADU				
476	Dindigul	133	1	0.75
477	Kanchepuram (Cheng.)	213	8	3.76
478	Coimbatore	275	3	1.09
479	Dharampuri	124	5	4.03
480	Erode	312	3	0.96
481	Virudhanagar (Kamarajar)	92	4	4.35
482	Nagercoil (Kanyakumari)	75	3	4.00
483	Chennai (Madras)	648	10	1.54
484	Madurai	207	2	0.97
485	Nagapattinam	59	0	0.00
486	Namakkal	126	3	2.38
487	Ooty (Nilgiris)	7	0	0.00
488	Padukottai	69	0	0.00
489	Ramnad (Ram.Puram)	75	2	2.67
490	Cuddalore (S.A.Vellalar)	198	4	2.02
491	Salem	205	16	7.80
492	Sivaganga	105	1	0.95
493	Thanjavur	228	22	9.65
494	Theni	92	4	4.35
495	Thiruvanamalai	271	9	3.32
496	Tirunelveli	181	13	7.18
497	Tiruchirappalli	149	10	6.71
498	Tuticorin (V.C.Chadam)	118	0	0.00
499	Vellore (North Arcot)	147	6	4.08
500	Villupuram	350	10	2.86
501	Tiruvellore	230	11	4.78
502	Tiruvarur	72	0	0.00
503	Karur	55	1	1.82
504	Perambalur	117	1	0.85
505	Krishnagiri	113	5	4.42
TOTAL=30		5046	157	3.11

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
TRIPURA				
506	North Tripura	6	0	0.00
507	South Tripura	5	1	20.00
508	West Tripura	42	2	4.76
509	Dhalai Tripura	3	0	0.00
TOTAL=4		56	3	5.36

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
UTTAR PRADESH				
510	Agra	192	11	5.73
511	Aligarh	250	7	2.80
512	Allahabad	707	14	1.98
513	Ambedkar Nagar	319	11	3.45
514	Azamgarh	655	11	1.68
515	Badaun	950	8	0.84
516	Bagpat	33	0	0.00
517	Bahraich	783	17	2.17
518	Balrampur	289	1	0.35
519	Ballia	492	30	6.10
520	Banda	225	3	1.33
521	Barabanki	693	16	2.31
522	Bareilly	1060	22	2.08
523	Basti	318	10	3.14
524	Bijnor	522	40	7.66
525	Bulandshahar	244	13	5.33
526	Chitrakoot	77	1	1.30
527	Chandauli	389	11	2.83
528	Deoria	379	4	1.06
529	Etah	114	3	2.63
530	Etawah	144	5	3.47
531	Faizabad	375	17	4.53
532	Farrukhabad	222	6	2.70
533	Fatehpur	501	15	2.99
534	Ferozabad	97	0	0.00
535	Gautambudh Nagar	93	1	1.08
536	Ghaziabad	376	10	2.66
537	Gonda	336	6	1.79
538	Gorakhpur	616	12	1.95
539	Ghazipur	744	9	1.21
540	Hamirpur	135	1	0.74
541	Hathras	53	2	3.77
542	Hardoi	992	26	2.62
543	Jalaun (ORAI)	307	8	2.61
544	Jaunpur	557	10	1.80
545	Jhansi	214	6	2.80
546	Jyoti ba Phooley Nagar	445	24	5.39
547	Kannoj	342	3	0.88
548	Kanpur (R)	252	1	0.40
549	Kanpur (U)	625	9	1.44
550	Kaushambi	363	9	2.48
551	Kushi Nagar	440	5	1.14
552	Kheri	822	3	0.36
553	Lalitpur	111	5	4.50
554	Lucknow	552	8	1.45
555	Maharajganj	475	9	1.89
556	Mainpuri	134	6	4.48
557	Mahoba	142	3	2.11
558	Mathura	45	5	11.11
559	Mau	310	1	0.32
560	Meerut	174	0	0.00
561	Mirzapur	329	0	0.00
562	Moradabad	1267	45	3.55
563	Muzaffar Ngr	220	2	0.91

564	Auraiya	183	8	4.37
565	Pilibhit	495	14	2.83
566	Pratapgarh	271	7	2.58
567	Raibarielly	491	1	0.20
568	Rampur	333	8	2.40
569	Saharanpur	228	4	1.75
570	Srawasti	159	0	0.00
571	Shahjahanpur	638	9	1.41
572	Sidharth Ngr	379	10	2.64
573	Sitapur	1046	3	0.29
574	Sant Kabir Nagar	155	1	0.65
575	Sant Ravidas Nagar	216	5	2.31
576	Sonebhadra	194	3	1.55
577	Sultanpur	386	9	2.33
578	Unnao	328	1	0.30
579	Varanasi	392	3	0.77
580	Kashi Ram Nagar	78	3	
	TOTAL= 71	27473	594	2.16

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
	UTTARAKHAND			
581	Almora	10	0	0.00
582	Bageshwar	6	0	0.00
583	Champawat	13	0	0.00
584	Chamoli	1	0	0.00
585	Dehradun	86	5	5.81
586	Haridwar	193	5	2.59
587	Nainital	33	0	0.00
588	Pauri Garhwal	29	0	0.00
589	Pithoragarh	6	0	0.00
590	Rudraprayag	1	0	0.00
591	Tehri Garhwal	10	0	0.00
592	Udhamsingh Nagar	194	1	0.52
593	Uttar Kashi	5	1	20.00
	TOTAL = 13	587	12	2.04

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
WEST BENGAL				
594	24 Parganas (North)	421	21	4.99
595	24 Parganas (South)	255	7	2.75
596	Bankura	1261	30	2.38
597	Birbhum	410	9	2.20
598	Burdwan	1283	42	3.27
599	Kolkata	636	46	7.23
600	Cooch Behar	268	1	0.37
601	North Dinajpur	735	19	2.59
602	South Dinajpur	421	4	0.95
603	Darjeeling	174	9	5.17
604	Hooghly	461	3	0.65
605	Howrah	195	8	4.10
606	Jalpaiguri	483	43	8.90
607	Malda	397	16	4.03
608	Midnapore(East)	158	1	0.63
609	Midnapore(West)	1401	6	0.43
610	Murshidabad	451	33	7.32
611	Nadia	234	6	2.56
612	Purulia	1809	95	5.25
TOTAL=19		11453	399	3.48

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ANDAMAN & NICOBAR				
613	North and Middle Andaman	3	0	0.00
614	South Andaman	10	0	0.00
615	Nicobar	2	0	0.00
TOTAL= 3		15	0	0.00

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
U.T. OF CHANDIGARH				
616	Chandigarh	25	2	8.00

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
DADAR & NAGAR HAVELI				
617	D&N Haveli	156	0	0.00
TOTAL = 1		156	0	0.00

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
DAMAN & DIU				
618	Daman	2	0	0.00
619	Diu	0	0	0.00
TOTAL=2		2	0	0.00

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
DELHI				
620	East	145	5	3.45
621	North East	248	36	14.52
622	North	71	5	7.04
623	North West	236	7	2.97
624	West	151	8	5.30
625	South West	118	6	5.08
626	South	408	47	11.52
627	New Delhi	25	1	4.00
628	Central	46	2	4.35
TOTAL=9		1448	117	8.08

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
PONDICHERRY				
629	Karaikal	12	0	0.00
630	Mahe	0	0	0.00
631	Pondicherry	46	0	0.00
632	Yanam	0	0	0.00
TOTAL=4		58	0	0.00

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
U.T. OF LAKSHADWEEP				
633	L'dweep	0	0	0.00