

NATIONAL LEPROSY ELIMINATION PROGRAMME
DISTRICT-WISE PROPORTION OF DEFORMITY GRADE - II
FOR THE YEAR 2008-09

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ANDHRA PRADESH				
1	Adilabad	492	9	1.83
2	Ananthapur	490	38	7.76
3	Chittoor	495	31	6.26
4	Cuddapah	310	18	5.81
5	E.Godavari	585	18	3.08
6	Guntur	592	37	6.25
7	Hyderabad	208	15	7.21
8	Karimnagar	459	14	3.05
9	Khammam	418	23	5.50
10	Krishna	499	29	5.81
11	Kurnool	499	25	5.01
12	Mahboob Ngr	411	23	5.60
13	Medak	286	19	6.64
14	Nalgaonda	422	10	2.37
15	Nellore	309	9	2.91
16	Nizamabad	186	6	3.23
17	Prakasam	296	21	7.09
18	Rangareddy	315	8	2.54
19	Srikakulam	418	10	2.39
20	Vizianagaram	455	3	0.66
21	Visakhapatnam	384	20	5.21
22	W. Godavari	527	36	6.83
23	Warrangal	490	9	1.84
TOTAL=23		9546	431	4.51

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ARUNACHAL PRADESH				
24	Chang Lang	4	0	0.00
25	Lower Dibang Valley	3	0	0.00
26	East Kameng	1	0	0.00
27	East Siang	2	0	0.00
28	Lower Subansari	0	0	0.00
29	Lohit	4	0	0.00
30	Papumpare	14	0	0.00
31	Tirap	1	0	0.00
32	Tawang	1	0	0.00
33	Upper Siang	1	0	0.00
34	Upper Subansari	1	0	0.00
35	West Kameng	3	0	0.00
36	West Siang	2	0	0.00
37	Upper Dibang Valley	0	0	0.00
38	Kurung Kumey	1	0	0.00
39	Anjaw	0	0	0.00
TOTAL=16		38	0	0.00

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ASSAM				
40	Baksa	1	1	100.00
41	Barpeta	16	0	0.00
42	Bongaigaon	10	0	0.00
43	Cachar	68	17	25.00
44	Chirang	6	1	16.67
45	Darrang	13	0	0.00
46	Dhemaji	22	1	4.55
47	Dhubri	51	7	13.73
48	Dibrugarh	157	2	1.27
49	Golaghat	53	3	5.66
50	Goalpara	7	0	0.00
51	Hailakandi	6	0	0.00
52	Jorhat	60	2	3.33
53	K. Anglong	38	5	13.16
54	Kamrup®	10	0	0.00
55	Kamrup(M)	165	4	2.42
56	Karimganj	11	3	27.27
57	Kokrajhar	20	1	5.00
58	Lakhimpur	38	11	28.95
59	Morigaon	7	1	14.29
60	Nalbari	12	1	8.33
61	Nc Hills	6	0	0.00
62	Nagaon	67	1	1.49
63	Sivsagar	131	3	2.29
64	Sonitpur	63	2	3.17
65	Tinsukia	141	14	9.93
66	Udalguri	13	2	15.38
	TOTAL=27	1192	82	6.88

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
BIHAR				
67	Araria	682	9	1.32
68	Arwal	216	8	3.70
69	Aurangabad	451	10	2.22
70	Banka	552	5	0.91
71	Begusarai	397	18	4.53
72	Bhagalpur	583	20	3.43
73	Bhojpur	331	9	2.72
74	Buxar	262	2	0.76
75	Darbhanga	658	4	0.61
76	E.Champaran	796	9	1.13
77	Gaya	1067	10	0.94
78	Gopalganj	538	4	0.74
79	Jehanabad	384	24	6.25
80	Jamui	289	0	0.00
81	Khagaria	156	0	0.00
82	Kaimur	445	0	0.00
83	Katihar	367	7	1.91
84	Kishanganj	458	0	0.00
85	Lakhisarai	265	0	0.00
86	Madhepura	236	7	2.97
87	Madhubani	1072	30	2.80
88	Muzaffarpur	876	33	3.77
89	Munger	253	8	3.16
90	Nalanda	707	8	1.13
91	Nawada	569	15	2.64
92	Patna	1091	29	2.66
93	Purnia	578	13	2.25
94	Rohtas	1180	18	1.53
95	Saharsa	263	8	3.04
96	Samastipur	573	38	6.63
97	Saran	776	13	1.68
98	Sheikhpura	125	0	0.00
99	Sheohar	99	3	3.03
100	Sitamarhi	515	6	1.17
101	Supaul	330	7	2.12
102	Siwan	868	23	2.65
103	Vaishali	513	11	2.14
104	W.Champaran	565	12	2.12
	TOTAL=38	20086	421	2.10

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
CHHATTISGARH				
105	Bastar	405	24	5.93
106	Bilaspur	855	15	1.75
107	Dantewara	39	6	15.38
108	Dhamtari	241	3	1.24
109	Durg	891	27	3.03
110	Janjgir	797	32	4.02
111	Jashpur	115	6	5.22
112	Kanker	64	1	1.56
113	Kawardha	227	14	6.17
114	Koriya	75	12	16.00
115	Korba	423	12	2.84
116	Mahasamund	815	14	1.72
117	Raigarh	920	43	4.67
118	Raipur	1665	85	5.11
119	Rajnandgaon	306	32	10.46
120	Surguja	156	13	8.33
	TOTAL = 16	7994	339	4.24

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
GOA				
121	North Goa	69	1	1.45
122	South Goa	48	2	4.17
	TOTAL =2	117	3	3.20

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
GUJARAT				
123	Ahmedabad	179	6	3.35
124	Amreli	45	0	0.00
125	Anand	114	7	6.14
126	Banaskantha	27	3	11.11
127	Baroda	848	36	4.25
128	Bhavnagar	85	3	3.53
129	Bharuch	715	11	1.54
130	Dangs	121	3	2.48
131	Dahod	710	19	2.68
132	Gandhi Ngr	52	0	0.00
133	Jamnagar	71	4	5.63
134	Junagarh	116	10	8.62
135	Kheda	161	19	11.80
136	Kutch	48	1	2.08
137	Mehsana	17	6	35.29
138	Narmada	235	14	5.96
139	Navsari	668	14	2.10
140	Panchmahal	776	25	3.22
141	Patan	12	1	8.33
142	Porbandar	17	1	5.88
143	Rajkot	118	6	5.08
144	Surendra Nagar	36	2	5.56
145	Sabarkantha	42	2	4.76
146	Surat	1561	23	1.47
147	Valsad	807	24	2.97
	TOTAL=25	7581	240	3.17

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
HARYANA				
148	Ambala	29	0	0.00
149	Bhiwani	5	0	0.00
150	Faridabad	144	0	0.00
151	Fatehabad	6	0	0.00
152	Gurgaon	27	0	0.00
153	Hissar	10	0	0.00
154	Jind	3	0	0.00
155	Karnal	39	5	12.82
156	Kaithal	8	0	0.00
157	Kurukshetra	13	1	7.69
158	Narnaul	5	0	0.00
159	Panipat	41	0	0.00
160	Rohtak	16	1	0.00
161	Jhajjar	4	0	0.00
162	Sirsa	6	0	0.00
163	Sonipat	14	0	0.00
164	Yamunangr	34	0	0.00
165	Panchkula	38	3	7.89
166	Rewari	7	0	0.00
167	Mewat	2	0	0.00
	TOTAL=19	451	10	2.22

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
HIMACHAL PRADESH				
168	Bilaspur	8	1	12.50
169	Chamba	4	1	25.00
170	Hamirpur	4	0	0.00
171	Kangra	33	5	15.15
172	Kinnaur	5	1	20.00
173	Kullu	9	2	22.22
174	L& Spiti	0	0	0.00
175	Mandi	16	2	12.50
176	Shimla	26	1	3.85
177	Sirmour	34	2	5.88
178	Solan	53	0	0.00
179	Una	15	2	13.33
	TOTAL=12	207	17	8.21

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
JAMMU & KASHMIR				
JAMMU DIVISION				
180	Doda	7	0	0.00
181	Jammu	94	2	2.13
182	Kathua	24	0	0.00
183	Poonch	14	1	7.14
184	Rajouri	17	0	0.00
185	Udhampur	16	2	12.50
186	Samba	0	0	0.00
187	Reasi	1	0	0.00
188	Ramban	9	0	0.00
189	Kishtwar	4	0	0.00
KASHMIR DIVISION				
190	Anantanag	4	0	0.00
191	Budgam	3	0	0.00
192	Baramula	0	0	0.00
193	Kargil	4	0	0.00
194	Kupwara	0	0	0.00
195	Leh	2	0	0.00
196	Pulwama	6	0	0.00
197	Srinagar	0	0	0.00
198	Shopian	0	0	0.00
199	Kulgam	0	0	0.00
200	Ganderbal	0	0	0.00
201	Bandipore	0	0	0.00
	TOTAL=14	205	5	2.44

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
	JHARKHAND			
202	Bokaro	209	2	0.96
203	Chatra	184	2	1.09
204	Deogarh	246	21	8.54
205	Dhanbad	56	1	1.79
206	Garhwa	260	13	5.00
207	Giridih	253	0	0.00
208	Godda	305	4	1.31
209	Gumla	145	3	2.07
210	Hazaribagh	145	1	0.69
211	Jamtara	199	6	3.02
212	Koderma	70	1	1.43
213	Latehar	131	13	9.92
214	Lohardagga	83	1	1.20
215	Pakur	124	11	8.87
216	Palamu	277	5	1.81
217	Ranchi	569	13	2.28
218	Saraikela	381	10	2.62
219	Sahebganj	145	5	3.45
220	Santal Pargana(Dumka)	213	1	0.47
221	Simdega	52	1	1.92
222	East Singhbhum	532	15	2.82
223	West Singhbhum (Chaibasa)	440	20	4.55
224	Ramgarh	69	0	0.00
225	Khunti	93	3	3.23
	TOTAL = 24	5181	152	2.93

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
KARNATAKA				
226	Bagalkote	107	3	2.80
227	Belgaum	282	2	0.71
228	Bellary	445	5	1.12
229	Bidar	201	5	2.49
230	Bijapur	138	7	5.07
231	Bangalore (R)	26	0	0.00
232	Bangalore (U)	398	3	0.75
233	Chamrajnagar	184	6	3.26
234	Chikmagalur	30	1	3.33
235	Chitradurga	111	3	2.70
236	Devangere	211	2	0.95
237	D.Kannada	54	1	1.85
238	Dharwad	234	8	3.42
239	Gadag	111	2	1.80
240	Gulbarga	320	6	1.88
241	Haveri	199	0	0.00
242	Hassan	27	2	7.41
243	Kodagu	7	0	0.00
244	Koppal	161	0	0.00
245	Kolar	42	0	0.00
246	Mandya	123	2	1.63
247	Mysore	156	6	3.85
248	Raichur	252	4	1.59
249	Shimoga	78	0	0.00
250	Tumkur	112	0	0.00
251	Udupi	93	1	1.08
252	Uttar Kannada	169	2	1.18
253	Chickkbalapur	108	0	0.00
254	Ramanagar	32	0	0.00
TOTAL=29		4411	71	1.61

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
KERALA				
255	Allappuzha	48	0	0.00
256	Kannur	52	6	11.54
257	Ernakulam	68	3	4.41
258	Iddukki	10	0	0.00
259	Kasargoda	25	2	8.00
260	Kottayam	40	5	12.50
261	Kollam	24	0	0.00
262	Kozikode	87	10	11.49
263	Mallapuram	91	0	0.00
264	Palakkad	138	12	8.70
265	Pathanamthita	5	0	0.00
266	Thrissur	96	11	11.46
267	Trivandrum	136	6	4.41
268	Wayanad	7	0	0.00
TOTAL=14		827	55	6.65

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MADHYA PRADESH				
269	Anuppur	119	1	0.84
270	Ashoknagar	34	1	2.94
271	Balaghat	154	3	1.95
272	Barwani	349	20	5.73
273	Betul	163	2	1.23
274	Bhind	129	9	6.98
275	Bhopal	375	36	9.60
276	Burhanpur	178	8	4.49
277	Chattarpur	191	0	0.00
278	Chhindwara	173	9	5.20
279	Damoh	100	2	2.00
280	Datia	85	0	0.00
281	Dewas	105	4	3.81
282	Dhar	211	8	3.79
283	Dhindori	18	1	5.56
284	Guna	75	9	12.00
285	Gwalior	167	9	5.39
286	Harda	105	5	4.76
287	Hoshangabad	133	4	3.01
288	Indore	276	6	2.17
289	Jabalpur	200	8	4.00
290	Jhabua	303	25	8.25
291	Katni	74	11	14.86
292	Khandwa	201	5	2.49
293	Khargone	304	26	8.55
294	Mandsaur	51	1	1.96
295	Mandla	124	15	12.10
296	Morena	150	4	2.67
297	Narsinghpur	131	11	8.40
298	Neemuch	32	3	9.38
299	Panna	83	15	18.07
300	Raisen	59	1	1.69
301	Rajgarh	100	0	0.00
302	Ratlam	60	7	11.67
303	Rewa	136	31	22.79
304	Sagar	118	4	3.39
305	Satna	55	0	0.00
306	Sehore	70	6	8.57
307	Seoni	59	2	3.39
308	Shahdol	146	8	5.48
309	Shajapur	97	0	0.00
310	Sheopurkala	49	5	10.20
311	Shivpuri	74	3	4.05
312	Sidhi	154	3	1.95
313	Tikamgarh	120	3	2.50
314	Umaria	19	0	0.00
315	Ujjain	117	9	7.69
316	Vidisha	83	2	2.41
TOTAL= 48		6309	345	5.47

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MAHARASHTRA				
317	Akola	253	0	0.00
318	Ahmednagar	191	0	0.00
319	Amravati	339	0	0.00
320	Aurangabad	200	1	0.50
321	Beed	243	0	0.00
322	Bhandara	457	4	0.88
323	Mumbai	1135	97	8.55
324	Buldana	241	4	1.66
325	Chandrapur	824	8	0.97
326	Dhule	479	0	0.00
327	Gadchiroli	434	7	1.61
328	Gondiya	400	4	1.00
329	Hingoli	108	0	0.00
330	Jalgaon	549	0	0.00
331	Jalna	155	0	0.00
332	Kolhapur	247	2	0.81
333	Latur	240	0	0.00
334	Nagpur	669	0	0.00
335	Nanded	370	2	0.54
336	Nasik	882	1	0.11
337	Osmanabad	164	1	0.61
338	Parbhani	257	1	0.39
339	Pune	560	11	1.96
340	Raigad	695	12	1.73
341	Ratnagiri	118	2	1.69
342	Sangli	150	0	0.00
343	Satara	245	0	0.00
344	Solapur	323	0	0.00
345	Sindu durg	74	0	0.00
346	Thane	2147	17	0.79
347	Wardha	327	2	0.61
348	Yavatmal	436	8	1.83
349	Nandurbar	220	0	0.00
350	Washim	142	0	0.00
TOTAL=34		14274	184	1.29

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MANIPUR				
351	Bishnupur	1	0	0.00
352	Chura Chandpur	3	0	0.00
353	Chandel	4	0	0.00
354	Imphal East	11	1	9.09
355	Imphal West	7	1	14.29
356	Senapati	1	0	0.00
357	Thoubal	7	0	0.00
358	Tamenlong	3	0	0.00
359	Ukhrul	1	0	0.00
Total = 9		38	2	5.26

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MEGHALAYA				
360	East Garo Hills	4	1	25.00
361	East Khasi Hills	1	0	0.00
362	Jaintia Hills	2	0	0.00
363	South Garo Hill	5	0	0.00
364	Ribhoi	3	0	0.00
365	West Garo Hills	1	0	0.00
366	West Khasi Hills	1	0	0.00
	TOTAL=7	17	1	5.88

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MIZORAM				
367	Aizwal East	0	0	0.00
368	Aizwal West	5	0	0.00
369	saiha	0	0	0.00
370	Lunglei	5	0	0.00
371	Champhai	0	0	0.00
372	Kolasib	1	0	0.00
373	Mamit	3	0	0.00
374	Serchhip	0	0	0.00
375	Lawngtlai	7	0	0.00
	TOTAL=9	21	0	0.00

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
NAGALAND				
376	Dimapur	47	10	21.28
377	Kohima	3	1	33.33
378	Mokokchung	1	1	100.00
379	Mon	0	0	0.00
380	Phek	0	0	0.00
381	Tuensang	3	1	33.33
382	Wokha	4	2	50.00
383	Zunheboto	0	0	0.00
384	Kipheri	0	0	0.00
385	Peren	3	1	33.33
386	Longleng	4	1	25.00
	TOTAL= 11	65	17	26.15

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ORISSA				
387	Angul	486	21	4.32
388	Bolangir	454	7	1.54
389	Balasore	251	4	1.59
390	Baragarh	581	23	3.96
391	Bhadrak	152	5	3.29
392	Boudh	135	10	7.41
393	Cuttack	286	10	3.50
394	Deogarh	86	7	8.14
395	Dhenkanal	199	4	2.01
396	Gajapati	46	2	4.35
397	Ganjam	323	4	1.24
398	Jagatsinghpur	87	1	1.15
399	Jajpur	213	0	0.00
400	Jharsuguda	166	0	0.00
401	Kalahandi	236	15	6.36
402	Kendrapara	91	1	1.10
403	Keonjhar	195	4	2.05
404	Khurda	174	5	2.87
405	Koraput	159	17	10.69
406	Malkangiri	37	2	5.41
407	Mayurbhanj	426	7	1.64
408	Nayagarh	170	3	1.76
409	Nowrangpur	164	4	2.44
410	Nuapada	193	14	7.25
411	Phulbani	40	9	22.50
412	Puri	181	14	7.73
413	Rayagada	43	0	0.00
414	Sambalpur	176	11	6.25
415	Sonepur	250	4	1.60
416	Sundergarh	381	11	2.89
TOTAL=30		6381	219	3.43

S.No.	Districts	New cases detected during 2009-10	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
PUNJAB				
417	Amritsar	122	5	4.10
418	Bathinda	25	0	0.00
419	Faridkot	15	0	0.00
420	Fatehpur Sahib	26	1	3.85
421	Ferozpur	22	8	36.36
422	Gurdaspur	39	2	5.13
423	Jalandhar	129	4	3.10
424	Hoshiarpur	51	4	7.84
425	Kapurthala	60	6	10.00
426	Ludhiana	208	4	1.92
427	Mansa	15	0	0.00
428	Moga	19	0	0.00
429	Muktasar	17	0	0.00
430	Nawashahar	19	0	0.00
431	Patiala	51	0	0.00
432	Roopnagar	27	0	0.00
433	Sangrur	27	0	0.00
434	SAS Nagar (Mohali)	41	0	0.00
435	Tarn Taran	10	0	0.00
436	Barnala	10	0	0.00
TOTAL=20		933	34	3.64

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
RAJASTHAN				
437	Ajmer	45	0	0.00
438	Alwar	91	11	12.09
439	Banswara	19	0	0.00
440	Barmer	8	0	0.00
441	Baran	63	0	0.00
442	Bharatpur	25	3	12.00
443	Bhilwara	33	0	0.00
444	Bikaner	17	0	0.00
445	Bundi	23	4	17.39
446	Chittorgarh	38	1	2.63
447	Churu	25	0	0.00
448	Dausa	38	0	0.00
449	Dholpur	16	0	0.00
450	Dungarpur	22	0	0.00
451	Ganganagar	11	0	0.00
452	Hanumangarh	10	0	0.00
453	Jaipur	221	12	5.43
454	Jaisalmer	0	1	0.00
455	Jalore	7	0	0.00
456	Jhalawar	82	13	15.85
457	Jhun Jhunu	16	0	0.00
458	Jodhpur	73	0	0.00
459	Kota	50	0	0.00
460	Nagaur	32	0	0.00
461	Pali	17	4	23.53
462	Rajasamand	21	0	0.00
463	Sawai Madhopur	10	0	0.00
464	Sikar	21	1	4.76
465	Sirohi	11	0	0.00
466	Tonk	15	0	0.00
467	Udaipur	97	0	0.00
468	Karauli	20	0	0.00
TOTAL=32		1177	50	4.25

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
SIKKIM				
469	East District	22	1	4.55
470	North Dist.	1	0	0.00
471	South Dist.	6	0	0.00
472	West Dist.	0	0	0.00
TOTAL=4		29	1	3.45

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
TAMILNADU				
473	Dindigul	123	3	2.44
474	Kanchepuram (Cheng.)	194	7	3.61
475	Coimbatore	287	7	2.44
476	Dharampuri	131	2	1.53
477	Erode	240	1	0.42
478	Virudhanagar (Kamarajar)	111	2	1.80
479	Nagercoil (Kanyakumari)	75	5	6.67
480	Chennai (Madras)	546	5	0.92
481	Madurai	220	2	0.91
482	Nagapattinam	70	0	0.00
483	Namakkal	109	1	0.92
484	Ooty (Nilgiris)	1	1	0.00
485	Padukottai	133	0	0.00
486	Ramnad (Ram.Puram)	67	3	4.48
487	Cuddalore (S.A.Vellalar)	247	1	0.40
488	Salem	284	8	2.82
489	Sivaganga	136	2	1.47
490	Thanjavur	206	8	3.88
491	Theni	90	0	0.00
492	Thiruvanamalai	234	6	2.56
493	Tirunelveli	197	8	4.06
494	Tiruchirappalli	155	13	8.39
495	Tuticorin (V.C.Chadam)	80	4	5.00
496	Vellore (North Arcot)	162	6	3.70
497	Villupuram	318	3	0.94
498	Tiruvellore	252	7	2.78
499	Tiruvarur	57	2	3.51
500	Karur	53	1	1.89
501	Perambalur	111	8	7.21
502	Krishnagiri	133	4	3.01
TOTAL=30		5022	120	2.39

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
TRIPURA				
503	North Tripura	3	0	0.00
504	South Tripura	6	2	33.33
505	West Tripura	51	7	13.73
506	Dhalai Tripura	6	0	0.00
TOTAL=4		66	9	13.64

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
UTTAR PRADESH				
507	Agra	213	13	6.10
508	Aligarh	251	2	0.80
509	Allahabad	750	21	2.80
510	Ambedkar Nagar	292	2	0.68
511	Azamgarh	626	2	0.32
512	Badaun	733	7	0.95
513	Bagpat	67	0	0.00
514	Bahraich	562	10	1.78
515	Balrampur	224	1	0.45
516	Ballia	622	28	4.50
517	Banda	191	2	1.05
518	Barabanki	640	16	2.50
519	Bareilly	924	22	2.38
520	Basti	290	4	1.38
521	Bijnor	553	29	5.24
522	Bulandshahar	260	17	6.54
523	Chitrakoot	99	4	4.04
524	Chandauli	452	15	3.32
525	Deoria	408	5	1.23
526	Etah	131	5	3.82
527	Etawah	122	4	3.28
528	Faizabad	239	0	0.00
529	Farrukhabad	212	2	0.94
530	Fatehpur	440	9	2.05
531	Ferozabad	144	1	0.69
532	Gautambudh Nagar	118	0	0.00
533	Ghaziabad	345	4	1.16
534	Gonda	462	9	1.95
535	Gorakhpur	582	13	2.23
536	Ghazipur	670	14	2.09
537	Hamirpur	127	3	2.36
538	Hathras	74	6	8.11
539	Hardoi	956	33	3.45
540	Jalaun (ORAI)	363	15	4.13
541	Jaunpur	672	17	2.53
542	Jhansi	286	5	1.75
543	Jyoti ba Phooley Nagar	402	14	3.48
544	Kanauj	346	2	0.58
545	Kanpur (R)	426	5	1.17
546	Kanpur (U)	643	17	2.64
547	Kaushambi	326	1	0.31
548	Kushi Nagar	505	7	1.39
549	Kheri	734	0	0.00
550	Lalitpur	100	2	2.00
551	Lucknow	583	16	2.74
552	Maharajganj	465	9	1.94
553	Mainpuri	146	4	2.74
554	Mahoba	145	0	0.00
555	Mathura	41	1	2.44
556	Mau	324	2	0.62
557	Meerut	204	0	0.00
558	Mirzapur	472	6	1.27
559	Moradabad	1300	27	2.08
560	Muzaffar Ngr	231	2	0.87
561	Auraiya	202	5	2.48

562	Pilibhit	531	10	1.88
563	Pratapgarh	276	2	0.72
564	Raibarielly	500	3	0.60
565	Rampur	302	3	0.99
566	Saharanpur	230	4	1.74
567	Srawasti	122	0	0.00
568	Shahjahanpur	629	12	1.91
569	Sidharth Ngr	350	4	1.14
570	Sitapur	942	23	2.44
571	Sant Kabir Nagar	169	1	0.59
572	Sant Ravidas Nagar	254	1	0.39
573	Sonebhadra	275	5	1.82
574	Sultanpur	352	12	3.41
575	Unnao	366	7	1.91
576	Varanasi	509	6	1.18
577	Kashi Ram Nagar	75	2	
	TOTAL= 71	27577	555	2.01

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
	UTTARAKHAND			
578	Almora	7	0	0.00
579	Bageshwar	7	0	0.00
580	Champawat	18	0	0.00
581	Chamoli	13	0	0.00
582	Dehradun	126	0	0.00
583	Haridwar	219	2	0.91
584	Nainital	31	1	3.23
585	Pauri Garhwal	34	0	0.00
586	Pithoragarh	8	0	0.00
587	Rudraprayag	4	1	25.00
588	Tehri Garhwal	15	0	0.00
589	Udhamsingh Nagar	176	0	0.00
590	Uttar Kashi	9	1	11.11
	TOTAL = 13	667	5	0.75

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
WEST BENGAL				
591	24 Parganas (North)	526	15	2.85
592	24 Parganas (South)	291	8	2.75
593	Bankura	1289	33	2.56
594	Birbhum	583	12	2.06
595	Burdwan	1548	32	2.07
596	Kolkata	669	47	7.03
597	Cooch Behar	245	3	1.22
598	North Dinajpur	680	20	2.94
599	South Dinajpur	416	3	0.72
600	Darjeeling	197	9	4.57
601	Hooghly	529	8	1.51
602	Howrah	264	11	4.17
603	Jalpaiguri	420	20	4.76
604	Malda	410	15	3.66
605	Midnapore(East)	164	3	1.83
606	Midnapore(West)	1578	17	1.08
607	Murshidabad	452	17	3.76
608	Nadia	299	10	3.34
609	Purulia	1331	20	1.50
	TOTAL=19	11891	303	2.55

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ANDAMAN & NICOBAR				
610	North and Middle Andaman	3	1	33.33
611	South Andaman	22	1	4.55
612	Nicobar	0	0	0.00
	TOTAL= 3	25	2	8.00

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
U.T. OF CHANDIGARH				
613	Chandigarh	37	2	5.41

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
DADAR & NAGAR HAVELI				
614	D&N Haveli	121	0	0.00
	TOTAL = 1	121	0	0.00

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
DAMAN & DIU				
615	Daman	8	0	0.00
616	Diu	2	0	0.00
TOTAL=2		10	0	0.00

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
DELHI				
617	East	91	2	2.20
618	North East	298	33	11.07
619	North	117	2	1.71
620	North West	268	12	4.48
621	West	216	23	10.65
622	South West	302	34	11.26
623	South	204	30	14.71
624	New Delhi	98	6	6.12
625	Central	37	0	0.00
TOTAL=9		1631	142	8.71

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
PONDICHERRY				
626	Karaikal	11	0	0.00
627	Mahe	0	0	0.00
628	Pondicherry	46	2	4.35
629	Yanam	0	0	0.00
TOTAL=4		57	2	3.51

S.No.	Districts	New cases detected during 2008-09	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
U.T. OF LAKSHADWEEP				
630	L'dweep	0	0	0.00