

NATIONAL LEPROSY ELIMINATION PROGRAMME
**DISTRICT-WISE PROPORTION OF DEFORMITY GRADE - II
 FOR THE YEAR 2007-08**

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ANDHRA PRADESH				
1	Adilabad	542	3	0.55
2	Ananthapur	544	22	4.04
3	Chittoor	404	28	6.93
4	Cuddapah	364	35	9.62
5	E.Godavari	527	13	2.47
6	Guntur	757	8	1.06
7	Hyderabad	198	13	6.57
8	Karimnagar	573	3	0.52
9	Khammam	398	14	3.52
10	Krishna	578	34	5.88
11	Kurnool	574	11	1.92
12	Mahboob Ngr	514	35	6.81
13	Medak	259	12	4.63
14	Nalgaonda	466	14	3.00
15	Nellore	327	3	0.92
16	Nizamabad	196	10	5.10
17	Prakasam	328	17	5.18
18	Rangareddy	298	2	0.67
19	Srikakulam	475	15	3.16
20	Vizianagaram	481	8	1.66
21	Visakhapatnam	331	21	6.34
22	W. Godavari	525	32	6.10
23	Warrangal	388	1	0.26
	TOTAL=23	10047	354	3.52

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ARUNACHAL PRADESH				
24	Chang Lang	4	1	25.00
25	Lower Dibang Valley	2	0	0.00
26	East Kameng	4	0	0.00
27	East Siang	8	3	37.50
28	Lower Subansari	0	0	0.00
29	Lohit	5	1	20.00
30	Papumpare	11	1	9.09
31	Tirap	2	0	0.00
32	Tawang	3	0	0.00
33	Upper Siang	3	0	0.00
34	Upper Subansari	0	0	0.00
35	West Kameng	0	0	0.00
36	West Siang	3	2	66.67
37	Upper Dibang Valley	0	0	0.00
38	Kurung Kumey	0	0	0.00
39	Anjaw	0	0	0.00
	TOTAL=16	45	8	17.78

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ASSAM				
40	Barpeta	21	1	4.76
41	Bongaigaon	13	0	0.00
42	Cachar	88	14	15.91
43	Darrang	22	0	0.00
44	Dhemaji	28	3	10.71
45	Dhubri	47	0	0.00
46	Dibrugarh	191	10	5.24
47	Golaghat	50	4	8.00
48	Goalpara	6	0	0.00
49	Hailakandi	3	0	0.00
50	Jorhat	45	1	2.22
51	K. Anglong	59	4	6.78
52	Kamrup	180	5	2.78
53	Karimganj	15	1	6.67
54	Kokrajhar	21	0	0.00
55	Lakhimpur	44	3	6.82
56	Morigaon	16	1	6.25
57	Nalbari	21	0	0.00
58	Nc Hills	11	6	54.55
59	Nagaon	57	3	5.26
60	Sivsagar	156	5	3.21
61	Sonitpur	65	2	3.08
62	Tinsukia	109	9	8.26
TOTAL=23		1268	72	5.68

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
BIHAR				
63	Araria	619	1	0.16
64	Arwal	146	7	4.79
65	Aurangabad	495	4	0.81
66	Banka	416	3	0.72
67	Begusarai	386	14	3.63
68	Bhagalpur	505	19	3.76
69	Bhojpur	334	3	0.90
70	Buxar	330	8	2.42
71	Darbhanga	610	0	0.00
72	E.Champaran	964	15	1.56
73	Gaya	1005	41	4.08
74	Gopalganj	465	16	3.44
75	Jehanabad	294	21	7.14
76	Jamui	314	0	0.00
77	Khagaria	150	0	0.00
78	Kaimur	400	7	1.75
79	Katihar	325	8	2.46
80	Kishanganj	460	4	0.87
81	Lakhisarai	194	0	0.00
82	Madhepura	309	8	2.59
83	Madhubani	936	17	1.82
84	Muzaffarpur	763	27	3.54
85	Munger	310	7	2.26
86	Nalanda	632	11	1.74
87	Nawada	359	10	2.79
88	Patna	1112	35	3.15
89	Purnia	563	6	1.07
90	Rohtas	959	20	2.09
91	Saharsa	283	10	3.53
92	Samastipur	567	22	3.88
93	Saran	806	28	3.47
94	Sheikhpura	132	2	1.52
95	Sheohar	124	0	0.00
96	Sitamarhi	539	17	3.15
97	Supaul	410	4	0.98
98	Siwan	718	43	5.99
99	Vaishali	581	14	2.41
100	W.Champaran	526	7	1.33
TOTAL=38		19041	459	2.41

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
CHHATTISGARH				
101	Bastar	319	8	2.51
102	Bilaspur	818	15	1.83
103	Dantewara	58	1	1.72
104	Dhamtari	243	4	1.65
105	Durg	859	48	5.59
106	Janjgir	489	14	2.86
107	Jashpur	140	2	1.43
108	Kanker	71	3	4.23
109	Kawardha	185	7	3.78
110	Koriya	68	11	16.18
111	Korba	559	7	1.25
112	Mahasamund	912	26	2.85
113	Raigarh	879	21	2.39
114	Raipur	1777	82	4.61
115	Rajnandgaon	250	12	4.80
116	Surguja	181	13	7.18
	TOTAL = 16	7808	274	3.51

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
	GOA			
117	North Goa	86	5	5.81
118	South Goa	70	0	0.00
	TOTAL =2	156	5	3.20

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
GUJARAT				
119	Ahmedabad	203	8	3.94
120	Amreli	43	0	0.00
121	Anand	109	9	8.26
122	Banaskantha	8	0	0.00
123	Baroda	887	45	5.07
124	Bhavnagar	56	3	5.36
125	Bharuch	682	5	0.73
126	Dangs	128	3	2.34
127	Dahod	763	8	1.05
128	Gandhi Ngr	36	0	0.00
129	Jamnagar	104	0	0.00
130	Junagarh	202	16	7.92
131	Kheda	184	9	4.89
132	Kutch	16	2	12.50
133	Mehsana	16	6	37.50
134	Narmada	197	5	2.54
135	Navsari	570	14	2.46
136	Panchmahal	713	16	2.24
137	Patan	6	0	0.00
138	Porbandar	21	2	9.52
139	Rajkot	121	6	4.96
140	Surendra Nagar	34	3	8.82
141	Sabarkantha	20	0	0.00
142	Surat	1411	24	1.70
143	Valsad	698	12	1.72
	TOTAL=25	7228	196	2.71

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
HARYANA				
144	Ambala	19	3	15.79
145	Bhiwani	4	0	0.00
146	Faridabad	58	0	0.00
147	Fatehabad	2	0	0.00
148	Gurgaon	22	0	0.00
149	Hissar	19	0	0.00
150	Jind	7	0	0.00
151	Karnal	16	0	0.00
152	Kaithal	9	0	0.00
153	Kurukshetra	14	1	7.14
154	Narnaul	4	0	0.00
155	Panipat	75	0	0.00
156	Rohtak	0	0	0.00
157	Jhajjar	8	0	0.00
158	Sirsa	9	0	0.00
159	Sonipat	9	0	0.00
160	Yamunangr	34	0	0.00
161	Panchkula	45	6	13.33
162	Rewari	4	1	25.00
163	Mewat	21	0	0.00
	TOTAL=19	379	11	2.90

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
HIMACHAL PRADESH				
164	Bilaspur	10	0	0.00
165	Chamba	18	1	5.56
166	Hamirpur	3	0	0.00
167	Kangra	30	3	10.00
168	Kinnaur	5	0	0.00
169	Kullu	15	3	20.00
170	L& Spiti	2	0	0.00
171	Mandi	17	2	11.76
172	Shimla	31	1	3.23
173	Sirmour	27	2	7.41
174	Solan	76	2	2.63
175	Una	12	2	16.67
	TOTAL=12	246	16	6.50

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
JAMMU & KASHMIR				
JAMMU DIVISION				
176	Doda	10	0	0.00
177	Jammu	90	3	3.33
178	Kathua	22	0	0.00
179	Poonch	12	0	0.00
180	Rajouri	20	0	0.00
181	Udhampur	31	1	3.23
KASHMIR DIVISION				
182	Anantanag	8	0	0.00
183	Budgam	0	0	0.00
184	Baramula	6	0	0.00
185	Kargil	2	0	0.00
186	Kupwara	3	0	0.00
187	Leh	3	0	0.00
188	Pulwama	1	0	0.00
189	Srinagar	1	0	0.00
	TOTAL=14	209	4	1.91

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
	JHARKHAND			
190	Bokaro	283	4	1.41
191	Chatra	247	3	1.21
192	Deogarh	409	25	6.11
193	Dhanbad	93	0	0.00
194	Garhwa	307	5	1.63
195	Giridih	354	3	0.85
196	Godda	419	9	2.15
197	Gumla	182	5	2.75
198	Hazaribagh	138	5	3.62
199	Jamtara	266	9	3.38
200	Koderma	84	4	4.76
201	Latehar	147	6	4.08
202	Lohardagga	96	0	0.00
203	Pakur	211	17	8.06
204	Palamu	261	0	0.00
205	Ranchi	897	22	2.45
206	Saraikela	542	20	3.69
207	Sahebganj	166	3	1.81
208	Santal Pargana(Dumka)	272	2	0.74
209	Simdega	60	4	6.67
210	East Singhbhum (Jamshedpur)	698	12	1.72
211	West Singhbhum (Chaibasa)	478	22	4.60
212	Ramgarh	86	0	0.00
213	Khunti	103	2	1.94
	TOTAL = 24	6799	182	2.68

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
KARNATAKA				
214	Bagalkote	125	2	1.60
215	Belgaum	331	0	0.00
216	Bellary	581	9	1.55
217	Bidar	166	4	2.41
218	Bijapur	151	2	1.32
219	Bangalore (R)	89	0	0.00
220	Bangalore (U)	424	0	0.00
221	Chamrajnagar	170	2	1.18
222	Chikmagalur	32	0	0.00
223	Chitradurga	82	1	1.22
224	Devangere	225	0	0.00
225	D.Kannada	68	1	1.47
226	Dharwad	231	2	0.87
227	Gadag	100	0	0.00
228	Gulbarga	305	4	1.31
229	Haveri	160	0	0.00
230	Hassan	32	1	3.13
231	Kodagu	18	0	0.00
232	Koppal	172	1	0.58
233	Kolar	146	0	0.00
234	Mandya	88	1	1.14
235	Mysore	160	9	5.63
236	Raichur	223	2	0.90
237	Shimoga	92	0	0.00
238	Tumkur	90	0	0.00
239	Udupi	100	1	1.00
240	Uttar Kannada	161	0	0.00
	TOTAL=27	4522	42	0.93

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
KERALA				
241	Allepey	49	0	0.00
242	Kannur	40	3	7.50
243	Ernakulam	49	0	0.00
244	Iddukki	5	0	0.00
245	Kasargoda	30	0	0.00
246	Kottayam	32	0	0.00
247	Kollam	33	5	15.15
248	Kozikode	76	0	0.00
249	Mallapuram	106	1	0.94
250	Palakkad	107	5	4.67
251	Pathanamthita	4	0	0.00
252	Thrissur	97	7	7.22
253	Trivandrum	140	8	5.71
254	Wayanad	10	5	50.00
	TOTAL=14	778	34	4.37

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MADHYA PRADESH				
255	Anuppur	100	1	1.00
256	Ashoknagar	30	2	6.67
257	Balaghat	159	2	1.26
258	Barwani	318	21	6.60
259	Betul	161	0	0.00
260	Bhind	130	8	6.15
261	Bhopal	359	25	6.96
262	Burhanpur	158	7	4.43
263	Chattarpur	152	0	0.00
264	Chhindwara	194	3	1.55
265	Damoh	91	2	2.20
266	Datia	93	0	0.00
267	Dewas	58	0	0.00
268	Dhar	222	8	3.60
269	Dhindori	17	0	0.00
270	Guna	45	6	13.33
271	Gwalior	201	38	18.91
272	Harda	95	9	9.47
273	Hoshangabad	135	2	1.48
274	Indore	270	5	1.85
275	Jabalpur	193	0	0.00
276	Jhabua	287	13	4.53
277	Katni	74	2	2.70
278	Khandwa	204	15	7.35
279	Khargone	315	21	6.67
280	Mandsaur	43	0	0.00
281	Mandla	108	15	13.89
282	Morena	131	2	1.53
283	Narsinghpur	109	3	2.75
284	Neemuch	37	7	18.92
285	Panna	131	25	19.08
286	Raisen	66	5	7.58
287	Rajgarh	36	0	0.00
288	Ratlam	62	16	25.81
289	Rewa	164	23	14.02
290	Sagar	137	4	2.92
291	Satna	53	0	0.00
292	Sehore	67	6	8.96
293	Seoni	60	2	3.33
294	Shahdol	99	1	1.01
295	Shajapur	76	4	5.26
296	Sheopurkala	28	0	0.00
297	Shivpuri	58	2	3.45
298	Sidhi	168	4	2.38
299	Tikamgarh	165	2	1.21
300	Umaria	32	2	6.25
301	Ujjain	71	8	11.27
302	Vidisha	96	4	4.17
	TOTAL= 48	6058	325	5.36

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MAHARASHTRA				
303	Akola	198	0	0.00
304	Ahmednagar	196	0	0.00
305	Amravati	242	0	0.00
306	Aurangabad	189	0	0.00
307	Beed	240	0	0.00
308	Bhandara	276	0	0.00
309	Mumbai	1070	65	6.07
310	Buldana	253	0	0.00
311	Chandrapur	559	2	0.36
312	Dhule	261	0	0.00
313	Gadchiroli	723	5	0.69
314	Gondiya	241	0	0.00
315	Hingoli	87	0	0.00
316	Jalgaon	579	2	0.35
317	Jalna	189	0	0.00
318	Kolhapur	252	5	1.98
319	Latur	165	0	0.00
320	Nagpur	515	1	0.19
321	Nanded	358	0	0.00
322	Nasik	742	3	0.40
323	Osmanabad	168	0	0.00
324	Parbhani	216	1	0.46
325	Pune	501	0	0.00
326	Raigad	477	4	0.84
327	Ratnagiri	146	0	0.00
328	Sangli	156	2	1.28
329	Satara	301	2	0.66
330	Solapur	263	0	0.00
331	Sindu durg	63	0	0.00
332	Thane	1808	13	0.72
333	Wardha	256	0	0.00
334	Yavatmal	365	2	0.55
335	Nandurbar	194	0	0.00
336	Washim	148	0	0.00
	TOTAL=34	12397	107	0.86

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MANIPUR				
337	Bishnupur	4	1	25.00
338	Chura Chandpur	5	0	0.00
339	Chandel	4	1	25.00
340	Imphal	30	1	3.33
341	Senapati	2	0	0.00
342	Thoubal	6	1	16.67
343	Tamenlong	3	0	0.00
344	Ukhrul	0	0	0.00
	Total = 8	54	4	7.41

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MEGHALAYA				
345	East Garo Hills	0	0	0.00
346	East Khasi Hills	2	0	0.00
347	Jaintia Hills	1	0	0.00
348	South Garo Hill	0	0	0.00
349	Ribhoi	1	0	0.00
350	West Garo Hills	6	0	0.00
351	West Khasi Hills	4	0	0.00
	TOTAL=7	14	0	0.00

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
MIZORAM				
352	Aizwal East	0	0	0.00
353	Aizwal West	6	0	0.00
354	saiha	0	0	0.00
355	Lunglei	6	0	0.00
356	Champhai	0	0	0.00
357	Kolasib	0	0	0.00
358	Mamit	1	0	0.00
359	Serchhip	1	0	0.00
360	Lawngtlai	12	0	0.00
	TOTAL=9	26	0	0.00

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
NAGALAND				
361	Dimapur	42	11	26.19
362	Kohima	3	1	33.33
363	Mokokchung	6	1	16.67
364	Mon	1	0	0.00
365	Phek	0	0	0.00
366	Tuensang	2	0	0.00
367	Wokha	0	0	0.00
368	Zunheboto	0	0	0.00
369	Kipheri	0	0	0.00
370	Peren	0	0	0.00
371	Longleng	0	0	0.00
TOTAL= 11		54	13	24.07

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ORISSA				
372	Angul	493	15	3.04
373	Bolangir	310	0	0.00
374	Balasore	181	6	3.31
375	Baragarh	491	9	1.83
376	Bhadrak	136	3	2.21
377	Boudh	79	2	2.53
378	Cuttack	246	3	1.22
379	Deogarh	72	3	4.17
380	Dhenkanal	161	1	0.62
381	Gajapati	50	0	0.00
382	Ganjam	391	1	0.26
383	Jagatsinghpur	60	0	0.00
384	Jajpur	179	1	0.56
385	Jharsuguda	155	2	1.29
386	Kalahandi	259	10	3.86
387	Kendrapara	96	0	0.00
388	Keonjhar	172	2	1.16
389	Khurda	243	10	4.12
390	Koraput	122	6	4.92
391	Malkangiri	58	5	8.62
392	Mayurbhanj	379	8	2.11
393	Nayagarh	155	2	1.29
394	Nowrangpur	135	1	0.74
395	Nuapada	137	2	1.46
396	Phulbani	28	0	0.00
397	Puri	166	6	3.61
398	Rayagada	58	0	0.00
399	Sambalpur	138	3	2.17
400	Sonepur	248	1	0.40
401	Sundergarh	287	2	0.70
	TOTAL=30	5685	104	1.83

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
PUNJAB				
402	Amritsar	123	2	1.63
403	Bathinda	29	0	0.00
404	Faridkot	19	0	0.00
405	Fatehpur Sahib	37	1	2.70
406	Ferozpur	20	2	10.00
407	Gurdaspur	28	4	14.29
408	Jalandhar	102	4	3.92
409	Hoshiarpur	50	3	6.00
410	Kapurthala	59	5	8.47
411	Ludhiana	209	11	5.26
412	Mansa	24	2	8.33
413	Moga	29	0	0.00
414	Muktsar	13	0	0.00
415	Nawashahar	17	1	5.88
416	Patiala	69	0	0.00
417	Roopnagar	34	0	0.00
418	Sangrur	36	2	5.56
419	SAS Nagar (Mohali)	45	3	6.67
420	Tarn Taran	12	0	0.00
421	Barnala	9	0	0.00
	TOTAL=20	964	40	4.15

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
RAJASTHAN				
422	Ajmer	50	2	4.00
423	Alwar	74	3	4.05
424	Banswara	15	0	0.00
425	Barmer	0	0	0.00
426	Baran	60	3	5.00
427	Bharatpur	27	1	3.70
428	Bhilwara	22	0	0.00
429	Bikaner	21	0	0.00
430	Bundi	35	1	2.86
431	Chittorgarh	37	1	2.70
432	Churu	33	1	3.03
433	Dausa	27	0	0.00
434	Dholpur	28	0	0.00
435	Dungarpur	19	0	0.00
436	Ganganagar	15	0	0.00
437	Hanumangarh	11	0	0.00
438	Jaipur	275	18	6.55
439	Jaisalmer	0	0	0.00
440	Jalore	14	0	0.00
441	Jhalawar	68	2	2.94
442	Jhunjhunu	23	0	0.00
443	Jodhpur	90	4	4.44
444	Kota	52	0	0.00
445	Nagaur	39	0	0.00
446	Pali	15	0	0.00
447	Rajasamand	20	0	0.00
448	Sawai Madhopur	10	0	0.00
449	Sikar	17	0	0.00
450	Sirohi	11	0	0.00
451	Tonk	9	0	0.00
452	Udaipur	65	0	0.00
453	Karauli	19	0	0.00
	TOTAL=32	1201	36	3.00

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
SIKKIM				
454	East District	18	0	0.00
455	North Dist.	0	0	0.00
456	South Dist.	8	0	0.00
457	West Dist.	1	0	0.00
	TOTAL=4	27	0	0.00

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
TAMILNADU				
458	Dindigul	118	18	15.25
459	Kancheipuram (Cheng.)	251	13	5.18
460	Coimbatore	299	5	1.67
461	Dharampuri	144	9	6.25
462	Erode	235	1	0.43
463	Virudhanagar (Kamarajar)	91	2	2.20
464	Nagercoil (Kanyakumari)	85	8	9.41
465	Chennai (Madras)	591	5	0.85
466	Madurai	269	8	2.97
467	Nagapattinam	100	0	0.00
468	Namakkal	123	4	3.25
469	Ooty (Nilgiris)	0	0	0.00
470	Padukottai	86	0	0.00
471	Ramnad (Ram.Puram)	65	4	6.15
472	Cuddalore (S.A.Vellalar)	296	7	2.36
473	Salem	238	8	3.36
474	Sivaganga	159	1	0.63
475	Thanjavur	217	4	1.84
476	Theni	106	4	3.77
477	Thiruvanamalai	267	7	2.62
478	Tirunelveli	234	17	7.26
479	Tiruchirappalli	160	8	5.00
480	Tuticorin (V.C.Chadam)	114	3	2.63
481	Vellore (North Arcot)	229	2	0.87
482	Villupuram	285	8	2.81
483	Tiruvellore	304	12	3.95
484	Tiruvarur	92	0	0.00
485	Karur	61	4	6.56
486	Perambalur	145	2	1.38
487	Krishnagiri	147	7	4.76
	TOTAL=30	5511	171	3.10

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
TRIPURA				
488	North Tripura	12	2	16.67
489	South Tripura	8	1	12.50
490	West Tripura	57	12	21.05
491	Dhalai Tripura	8	0	0.00
	TOTAL=4	85	15	17.65

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
UTTAR PRADESH				
492	Agra	215	10	4.65
493	Aligarh	245	2	0.82
494	Allahabad	768	13	1.69
495	Ambedkar Nagar	401	8	2.00
496	Azamgarh	654	11	1.68
497	Badaun	826	19	2.30
498	Bagpat	44	0	0.00
499	Bahraich	608	21	3.45
500	Balrampur	342	0	0.00
501	Ballia	629	3	0.48
502	Banda	210	1	0.48
503	Barabanki	689	4	0.58
504	Bareilly	1019	23	2.26
505	Basti	272	0	0.00
506	Bijnor	458	8	1.75
507	Bulandshahar	550	18	3.27
508	Chitrakoot	79	1	1.27
509	Chandauli	486	6	1.23
510	Deoria	587	1	0.17
511	Etah	185	4	2.16
512	Etawah	136	2	1.47
513	Faizabad	208	2	0.96
514	Farrukhabad	244	0	0.00
515	Fatehpur	485	5	1.03
516	Ferozabad	87	1	1.15
517	Gautambudh Nagar	97	1	1.03
518	Ghaziabad	361	1	0.28
519	Gonda	457	8	1.75
520	Gorakhpur	672	9	1.34
521	Ghazipur	776	10	1.29
522	Hamirpur	145	2	1.38
523	Hathras	75	2	2.67
524	Hardoi	958	26	2.71
525	Jalaun (ORAI)	413	12	2.91
526	Jaunpur	769	8	1.04
527	Jhansi	283	7	2.47
528	Jyoti ba Phooley Nagar	409	19	4.65
529	Kannoj	403	1	0.25
530	Kanpur (R)	519	15	2.89
531	Kanpur (U)	833	18	2.16
532	Kaushambi	388	1	0.26
533	Kushi Nagar	539	7	1.30
534	Kheri	964	0	0.00
535	Lalitpur	112	6	5.36
536	Lucknow	570	14	2.46
537	Maharajganj	518	4	0.77
538	Mainpuri	140	2	1.43
539	Mahoba	161	0	0.00
540	Mathura	37	2	5.41

541	Mau	417	2	0.48
542	Meerut	216	0	0.00
543	Mirzapur	634	4	0.63
544	Moradabad	1190	32	2.69
545	Muzaffar Ngr	284	0	0.00
546	Auraiya	291	11	3.78
547	Pilibhit	573	3	0.52
548	Pratapgarh	314	2	0.64
549	Raibarielly	532	1	0.19
550	Rampur	347	11	3.17
551	Saharanpur	225	5	2.22
552	Srawasti	186	0	0.00
553	Shahjahanpur	680	14	2.06
554	Sidharth Ngr	357	16	4.48
555	Sitapur	1099	5	0.45
556	Sant Kabir Nagar	247	0	0.00
557	Sant Ravidas Nagar	362	0	0.00
558	Sonebhadra	538	1	0.19
559	Sultanpur	438	11	2.51
560	Unnao	546	4	0.73
561	Varanasi	526	11	2.09
	TOTAL= 70	31028	471	1.52

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
	UTTARAKHAND			
562	Almora	8	0	0.00
563	Bageshwar	10	0	0.00
564	Champawat	21	0	0.00
565	Chamoli	18	1	5.56
566	Dehradun	104	0	0.00
567	Haridwar	256	2	0.78
568	Nainital	62	4	6.45
569	Pauri Garhwal	37	0	0.00
570	Pithoragarh	5	1	20.00
571	Rudraprayag	1	0	0.00
572	Tehri Garhwal	8	1	12.50
573	Udhamsingh Nagar	224	0	0.00
574	Uttar Kashi	9	0	0.00
	TOTAL = 13	763	9	1.18

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
WEST BENGAL				
575	24 Parganas (North)	558	17	3.05
576	24 Parganas (South)	277	5	1.81
577	Bankura	1433	53	3.70
578	Birbhum	701	11	1.57
579	Burdwan	1558	47	3.02
580	Kolkata	781	60	7.68
581	Cooch Behar	319	1	0.31
582	North Dinajpur	987	45	4.56
583	South Dinajpur	469	6	1.28
584	Darjeeling	192	3	1.56
585	Hooghly	563	11	1.95
586	Howrah	224	2	0.89
587	Jalpaiguri	492	31	6.30
588	Malda	920	19	2.07
589	Midnapore(East)	188	11	5.85
590	Midnapore(West)	1531	27	1.76
591	Murshidabad	446	19	4.26
592	Nadia	314	11	3.50
593	Purulia	1598	27	1.69
	TOTAL=19	13551	406	3.00

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
ANDAMAN & NICOBAR				
594	North and Middle Andaman	3	0	0.00
595	South Andaman	15	1	6.67
596	Nicobar	0	0	0.00
	TOTAL= 3	18	1	5.56

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
U.T. OF CHANDIGARH				
597	Chandigarh	190	26	13.68

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
DADAR & NAGAR HAVELI				
598	D&N Haveli	150	0	0.00
	TOTAL = 1	150	0	0.00

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
DAMAN & DIU				
599	Daman	1	0	0.00
600	Diu	1	0	0.00
	TOTAL=2	2	0	0.00

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
DELHI				
601	East	104	0	0.00
602	North East	258	38	14.73
603	North	97	1	1.03
604	North West	226	8	3.54
605	West	122	8	6.56
606	South West	233	16	6.87
607	South	189	14	7.41
608	New Delhi	81	12	14.81
609	Central	21	3	14.29
	TOTAL=9	1331	100	7.51

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
PONDICHERRY				
610	Karaikal	9	0	0.00
611	Mahe	0	0	0.00
612	Pondicherry	40	0	0.00
613	Yanam	1	0	0.00
	TOTAL=4	50	0	0.00

S.No.	Districts	New cases detected during 2007-08	No. of cases with Grade-II deformity	Percentage
1	2	3	4	5
U.T. OF LAKSHADWEEP				
614	L'dweep	0	0	0.00